

## WEST Search History





DATE: Monday, May 28, 2007

| Hide?                    | Set Name | Query                                 | Hit Count |
|--------------------------|----------|---------------------------------------|-----------|
|                          |          | <i>DB=USPT,USOC; PLUR=YES; OP=ADJ</i> |           |
| <input type="checkbox"/> | L20      | L18 and stent                         | 2         |
| <input type="checkbox"/> | L19      | L18 and radiation dose                | 0         |
| <input type="checkbox"/> | L18      | L17 and l1                            | 21        |
| <input type="checkbox"/> | L17      | release region                        | 286       |
| <input type="checkbox"/> | L16      | L15 and (100 or 1000)                 | 28        |
| <input type="checkbox"/> | L15      | L1 and radiation dose and stent       | 32        |
| <input type="checkbox"/> | L14      | L5 and radiat\$                       | 2         |
| <input type="checkbox"/> | L13      | L8 and radiat\$                       | 75        |
| <input type="checkbox"/> | L12      | L8 and release region                 | 0         |
| <input type="checkbox"/> | L11      | L8 and polymeric release region       | 0         |
| <input type="checkbox"/> | L10      | L9 and polymer\$ release region       | 0         |
| <input type="checkbox"/> | L9       | L8 and triblock copolymer             | 1         |
| <input type="checkbox"/> | L8       | L2 and (rads or radiation dose)       | 123       |
| <input type="checkbox"/> | L7       | L5 and radiation dose                 | 0         |
| <input type="checkbox"/> | L6       | L5 and rads                           | 0         |
| <input type="checkbox"/> | L5       | L4 and anti-proliferat\$              | 5         |
| <input type="checkbox"/> | L4       | L2 and triblock copolymer             | 16        |
| <input type="checkbox"/> | L3       | L2 and polystyrene-polyisobutylene    | 0         |
| <input type="checkbox"/> | L2       | L1 and stent                          | 885       |
| <input type="checkbox"/> | L1       | (424/\$\$\$)[ccls]                    | 88739     |

END OF SEARCH HISTORY

## WEST Search History

DATE: Monday, May 28, 2007

| Hide?                    | Set Name | Query                                 | Hit Count |
|--------------------------|----------|---------------------------------------|-----------|
|                          |          | <i>DB=USPT,USOC; PLUR=YES; OP=ADJ</i> |           |
| <input type="checkbox"/> | L20      | L18 and stent                         | 2         |
| <input type="checkbox"/> | L19      | L18 and radiation dose                | 0         |
| <input type="checkbox"/> | L18      | L17 and l1                            | 21        |
| <input type="checkbox"/> | L17      | release region                        | 286       |
| <input type="checkbox"/> | L16      | L15 and (100 or 1000)                 | 28        |
| <input type="checkbox"/> | L15      | L1 and radiation dose and stent       | 32        |
| <input type="checkbox"/> | L14      | L5 and radiat\$                       | 2         |
| <input type="checkbox"/> | L13      | L8 and radiat\$                       | 75        |
| <input type="checkbox"/> | L12      | L8 and release region                 | 0         |
| <input type="checkbox"/> | L11      | L8 and polymeric release region       | 0         |
| <input type="checkbox"/> | L10      | L9 and polymer\$ release region       | 0         |
| <input type="checkbox"/> | L9       | L8 and triblock copolymer             | 1         |
| <input type="checkbox"/> | L8       | L2 and (rads or radiation dose)       | 123       |
| <input type="checkbox"/> | L7       | L5 and radiation dose                 | 0         |
| <input type="checkbox"/> | L6       | L5 and rads                           | 0         |
| <input type="checkbox"/> | L5       | L4 and anti-proliferat\$              | 5         |
| <input type="checkbox"/> | L4       | L2 and triblock copolymer             | 16        |
| <input type="checkbox"/> | L3       | L2 and polystyrene-polyisobutylene    | 0         |
| <input type="checkbox"/> | L2       | L1 and stent                          | 885       |
| <input type="checkbox"/> | L1       | (424/\$\$\$)[ccls]                    | 88739     |

END OF SEARCH HISTORY